

Biochemistry

Faculty of Paramedical and Allied Health Sciences (FPMA)
Khyber Pakhtunkhwa First Semester
Exam august 2019

Biochemistry

Time: 00:40 Minutes Total Marks: 40

1. Which One Of The Following Is Not Included In Major Six Classes Of Enzymes?
 - a. Transferases
 - ☒ b. Polymerases
 - c. Hydrolases
 - d. Oxidoreducases
2. In Polysaccharides, Monosaccharides Are Joined by
 - a. Peptide Bond
 - ☒ b. Glucose bond
 - c. Glycosidic Bond
 - d. Covalent Bond
3. Which One Of The Following Structures Has Maximum Amount Of Total Body Calcium:
 - a. Skeletal Muscles
 - b. Blood
 - ☒ c. Bones
 - d. Plasma
4. Antioxidant Vitamin Is
 - a. Vitamin A
 - ☒ b. Vitamin C
 - c. Vitamin K
 - d. Vitamin B1
5. Which Of The Following Is A Non-reducing Sugar?
 - ☒ a. Trehalose
 - b. Maltose
 - c. Lactose
 - d. Isomaltose
6. Fatty Acids Which Remain In Liquid State At Room Temperature Are Called
 - a. Fats, Glucose, Starch
 - ☒ b. Oil
 - c. Lipids
 - d. Wax
7. All Are Reducing Sugars EXCEPT
 - a. Sucrose
 - ☒ b. Lactose
 - c. Fructose
 - d. Galactose

PMA)

arks: 40
Of Enzymes?

f Total Body

Are Called

8. The Repeating Units Of Proteins Are:
- Nucleic acids
 - Fatty Acids
 - ☒ Amino Acids
 - Glucose units
9. Cholesterol Is Present In High Levels In
- ☒ Egg Yolk
 - Egg White
 - Fish
 - Meat
10. The Chief Source Of Calcium Is
- ☒ Fish
 - ☒ dairy Products
 - Grains
 - Meat
11. Normal Blood PH Is Maintained By
- Proteins
 - ☒ Buffer
 - Water
 - ☒ Biomolecules
12. PH is
- ☒ Log of H^+
 - ☒ Negative Ln Of H^+
 - ☒ Negative Log $[H^+]$
 - Negative log of H^+
13. Essential Fatty Acid Is
- ☒ Linolenic Acid
 - Oleic Acid
 - ☒ Palmitoleic Acid
 - Palmitic Acid
14. The Carbohydrate Found In DNA Is:
- Roulose
 - Xylose.
 - Ribose
 - ☒ Deoxyribose
15. Glycogen In Animals Are Stored In:
- ☒ Glucose
 - Glycogen
 - Sucrose
 - Maltose
16. The Largest Protein Amongst The Following Is

- a. Fibrinogen
b. Albumin
☒ c. Hemoglobin
d. globulin
- 25.
17. Maltose Is A Disaccharide Of
- a. Glucose And Lactose
b. Fructose And Lactose
c. Glucose and Galactose
☒ d. Glucose and glucose
- 26.
18. Iodine Is Stored In:
- a. Liver
b. Intestine
☒ c. Thyroid Gland as thyroglobulin
d. Skin
- 27.
19. Which One Of The Following Is A Phospholipid?
- a. Steroid
b. Lecithin
c. Sterol
☒ d. Cholesterol
- 28.
20. Which One Of The Following Is Having A Steroid Vitamin?
- ☒ a. Vitamin E
b. Vitamin A
c. Vitamin D
d. Vitamin K
21. Buffers Are Mixtures Of:
- a. Strong Acid And Strong Base
b. Weak Base And Their Conjugate Acid
c. Strong Acid And Weak Base
☒ d. Weak Acid And Their Conjugate Base
22. Carbohydrate Commonly Known As Invert Sugar, Is:
- a. Lactose
☒ b. Fructose
c. Glucose
d. Sucrose
23. Iron Is Transported In The Blood In The Form Of:
- a. Haemosiderin
b. Transferrin
☒ c. Haemoglobin
d. Ferritin
24. A Carbohydrate Commonly Known As Dextrose, Is:
- a. Dextrin

- ☒ b. Glucos
c. D-fructose
d. Glycogen
25. Vitamin D Synthesis Occurs In
a. Muscles
b. Intestine T
c. Adipose tissue
☒ d. Liver and kidney
26. Most Important Buffer Of Extra Cellular Fluid Is:
a. Phosphate
b. Hemoglobin
c. Protein
☒ d. Bicarbonate- Carbonic Acid
27. Pellagra Is Caused Due To The Deficiency Of
a. Pyridoxine
☒ b. Niacin
c. Ascorbic Acid
d. Pantothenic Acid
28. Triglycerides Are:
a. Less Soluble In Water
b. Soluble In Water
c. Soluble in boiling Water
☒ d. In Soluble in water
29. The average PH of Urine is
a. 6.2
☒ b. 7.4
c. 6.8
d. 7.8
30. Enzyme Amylase Breaks Down:
a. Proteins
b. Fats
☒ c. Carbohydrates
d. Nucleoproteins
31. Essential Fatty Acid Is:
a. Oleic Acid
b. Palmitoleic Acid
☒ c. Linolenic Acid
d. Plamitic Acid
32. The Vitamin C Deficiency Leads To:
a. Antibody Synthesis
b. Rickets

- ☒ c. Scurvy
d. Pellagra
33. In Human Body The Optimum Temperature For Enzymatic Activities Is
- a. 25°C
☒ b. 37°C
c. 40°C
d. 30°C
34. Scurvy Is Caused Due To The Deficiency Of
- ☒ a. Vitamin C
b. Vitamin K
c. Vitamin A
d. Vitamin D
35. The Phenomenon Of Osmosis Is Opposite To That Of
- a. Coagulation
b. Affusion
☒ c. Diffusion
d. Effusion
36. BeriBeri Is caused due To Deficiency Of
- a. Folic Acid
b. Vitamin C
c. Vitamin K
☒ d. Vitamin B1 (thiamine)
37. A Severe Deficiency Of Vitamin B1 (Thiamine) In Humans Causes
- a. Beri Beri
b. Osteomalacia
☒ c. Night Blindness
d. Rickets
38. Richest Source Of Vitamin C Is?
- a. Egg
b. Lemon
☒ c. Milk
d. Rice
39. The Monosaccharides Linked Together In Cellulose Are
- a. Dextrin
☒ b. Amylose
c. Sorbitol
d. Glucose
40. Obesity Is Usually Determined By Calculating:
- a. Basal Metabolic Rate (BMR)
☒ b. Body Mass Index (SMI)

vities Is

- c. Growth Chad
- d. None Of The Above

Answer Key

1.	B	21.	D
2.	B	22.	B
3.		23.	C
4.	B	24.	B
5.	A	25.	D
6.	B	26.	D
7.	B	27.	B
8.	C	28.	D
9.	A	29.	B
10.	B	30.	C
11.	B	31.	C
12.	C	32.	C
13.	A	33.	B
14.	D	34.	A
15.	A	35.	C
16.	C	36.	D
17.	D	37.	C
18.	C	38.	C
19.	D	39.	B
20.	A	40.	B

Faculty of Paramedical and Allied Health Sciences (FPMA)
Khyber Pakhtunkhwa First Semester
Exam March 2019
Biochemistry

Time: 00:40 Minutes
Total Marks: 40

1. The Largest Protein Amongst The Following Is
 - a. Fibrinogen
 - ☒ b. Albumin
 - c. Haemoglobin
 - d. Globulin
2. Heart Diseases Are Associated With The Diet Containing
 - a. High In Vitamins
 - b. High In Carbohydrates
 - c. High in Proteins
 - ☒ d. High In Saturated Fat
3. Following Is Made From Cholesterol
 - a. Vitamin A
 - b. DNA
 - ☒ c. Steroid Hormones
 - d. Glycogen
4. Which One Of These Vitamins Is Involved In Blood Clotting?
 - a. Vitamin B6
 - ☒ b. Vitamin K
 - c. Vitamin E
 - d. Vitamin D
5. In Human Body The Optimum Temperature For Enzymatic Activities Is
 - a. 40°C
 - ☒ b. 37°C
 - c. 30°C
 - d. 25°C
6. Denatured Proteins Are
 - ☒ a. Biologically Inactive
 - b. Scurvy
 - c. Difficult to Digest
 - d. Difficult To Precipitate
7. Obesity Is Usually Determined By Calculating
 - ☒ a. Basal Metabolic Rate (BMR)
 - b. Growth Chart
 - c. None of the Above
 - d. Body Mass Index (BMI)

a)

00:40 Minutes
40

activities Is

8. All the Following Are-B complex Vitamins, Except
☒ a. Ascorbic Acid
b. Thiamin
c. Biotin
d. Pantothenic Acid
9. Essential Fatty Acid Is
a. Palmitoleic Acid
b. Palmitic Acid
☒ c. Linolenic Acid
d. Oleic Acid
10. Antioxidant Vitamin Is
a. Vitamin K
b. Vitamin A
☒ c. Vitamin C
d. Vitamin B1
11. scurvy Is Caused Due To The Deficiency Of
a. Vitamin K
☒ b. Vitamin C
c. Vitamin A
d. Vitamin D
12. The End Product Of Acid Hydrolysis Of Glycogen Is
a. Galactose
☒ b. Glucose
c. Mannose
d. Fructose
13. Glycogen In Animals Are Stored In
☒ a. Liver And Muscles
b. Liver And Adipose Tissue
c. Liver and Spleen
d. Liver and bile
14. A Severe Deficiency Of Vitamin B1 (Thiamine) In Humans Causes
a. Osteomalacia
☒ b. Beri Beri
c. Night Blindness
d. Rickets
15. Cholesterol Is Present In High Levels In
a. Egg White
☒ b. Fish
c. Meat
d. Egg yolk

16. Sulphur Containing Amino Acids Are

- a. Serine
- ☒ b. Cysteine
- c. Lysine
- d. leucine

17. Vitamin D Synthesis Occurs In

- a. intestine T
- b. Adipose Tissue
- c. Muscles
- ☒ d. Liver and Kidney

18. Richest Source Of Vitamin C Is?

- a. Milk
- ☒ b. Lemon
- c. Rice
- d. Egg

19. Night Blindness Is Caused By Deficiency Of

- a. Vitamin B12
- ☒ b. Vitamin A
- c. Vitamin E
- d. Vitamin D

20. The Vitamin C Deficiency Leads To:

- a. Antibody Synthesis
- b. Rickets
- ☒ c. Scurvy
- d. Pellagra

21. All Are Reducing Sugars EXCEPT

- ☒ a. Sucrose
- b. Fructose
- ☒ c. Lactose

22. Vitamins Often Act As

- a. Holoenzymes
- b. Apoenzymes
- ☒ c. Cofactors
- d. Coenzymes

23. Which Of The Following Is Not A Disaccharide?

- ☒ a. Lactose
- b. Cellobiose
- c. None of these
- ☒ d. amylose

24. Enzyme Increased In Myocardial Infarction Is

- a. Amylase
 - b. Esterase
 - ☒ c. Creatine Kianse
 - d. Lipase
25. Milk Protein Is Called A
- a. keratin
 - ☒ b. Casein
 - c. gliadin
 - ☒ d. Gelatin
26. Normal Range Of PH Of Blood Is A
- a. 7.4-8.2
 - b. 6.0 -7.4
 - ☒ c. 7.0-7.35
 - ☒ d. 7.35-7.45
27. A Homopolysaccharide Among The Following Is
- a. KeratoSulphate
 - ☒ b. Cellulose
 - c. Heparint
 - ☒ d. Dermatin sulphate
28. Sucrose Is Composed Of
- a. Glucose And Galactose
 - ☒ b. Glucose And Fructose
 - c. Fructose And Galactose
 - d. Glucose and Glucose
29. The Largest Protein Amongst The Following Is
- a. Fibrinogen
 - b. Globulin
 - ☒ c. Albumin
 - d. Haemogliobin
30. Which Of The Following Is A Monosaccharide?
- a. Sucrose
 - ☒ b. Galactose
 - c. Lactose
 - d. Maltose
31. Carbohydrates Are
- a. Polyhydroxy Aldehydes And Phenols
 - b. Polyhydroxy Phenols And Alcohols
 - ☒ c. Polyhydroxy Aldehydes And Ketones
 - d. Polyhydroxy Ketones And Phenols
32. Food Energy Is Measured In
- a. Grams

- ☒ Kilocalories
 c. Protein
 d. None Of The Above
33. Which One Of The Following Is Not Included In Major Six Classes Of Enzymes?
- a. Hydrolases
☒ Oxidoreductases
 c. Polymerases
 d. Transferases
34. Which One Of The Following Structures Has Maximum Amount Of Total Body

Calcium:

- ☒ Bones
 b. Skeletal Muscles
 c. Plasma
 d. Blood
35. Triglycerides Are
- a. Soluble In Water
 b. Less Soluble In Water
☒ Insoluble in Water
 d. Soluble in boiling Water
36. All The Following Are B Complex Vitamins, Except
- a. Biotin
☒ Ascorbic Acid
 c. Pantothenic Acid
 d. Thiamin
37. Iodine Is Stored In
- a. Intestine
 b. Skin
 c. Liver
☒ Thyroid Gland
38. What Is The Storage Form Of Glucose In Plants?
- a. Dextrins
 b. Glycogen
☒ Starch
 d. Inulin
39. The Movement Of Molecules From An Area Of Low Concentration To An Area Of High Concentration Against The Concentration Gradient Is Known As:
- a. Osmosis
☒ Active Transport
 c. Phagocytosis
 d. Diffusion

1.
2.
3.
4.
5.
6.
7.
8.
9.
10.
1.
1.
1.
1.
1.
1.
1.
1.
1.
2.

Of Enzymes?

40. Enzymes Are

- a. DNA Molecule
- b. Nucleic Acids
- ☒ c. Proteins
- d. Carbohydrates

Of Total Body

1.	B	21.	A
2.	D	22.	C
3.	C	23.	D
4.	B	24.	C
5.	B	25.	B
6.	A	26.	D
7.	A	27.	D
8.	A	28.	B
9.	C	29.	C
10.	C	30.	B
11.	B	31.	C
12.	B	32.	B
13.	A	33.	B
14.	B	34.	A
15.	B	35.	C
16.	B	36.	B
17.	D	37.	D
18.	B	38.	C
19.	B	39.	B
20.	C	40.	C

n To An Area
nown As:

Faculty of Paramedical and Allied Health Sciences (FPMA)
Khyber Pukhtunkhwa
First Semester Exam

Time: 1 Hour

Total Marks: 50

Biochemistry

1. Sucrose is made up of
 - a. Glucose and Glucose
 - ☒ b. Glucose and fructose
 - c. Glucose and galactose
 - d. fructose and galactose
2. Enzyme Amylase breaks down;
 - a. Nucleoproteins
 - b. Fats
 - c. Proteins
 - ☒ d. Carbohydrates
3. Vitamin which is excreted in urine is;
 - a. Vitamin A
 - ☒ b. Vitamin C
 - c. Vitamin D
 - d. Vitamin K
4. Normal pH of blood is
 - a. 7
 - b. 7.2
 - c. 7.3
 - ☒ d. 7.4
5. Storage form of carbohydrates in animals is
 - a. Amylopectin
 - ☒ b. glycogen
 - c. cellulose
 - d. Collagen
6. Among the following is keto sugar is
 - a. glucose
 - b. Galactose
 - ☒ c. fructose
 - d. Mannose
7. Following is an aromatic amino acid
 - a. Serine
 - b. Leucine
 - c. Methionine
 - ☒ d. Tyrosine
8. Triglycerides are
 - a. Soluble in water
 - ☒ b. insoluble in water
 - c. soluble in boiling water
 - d. less soluble in water

9.
 - a. Terr
 - b. pH
 - c. Inhi
 - ☒ d. All
10.
 - ☒ a. Lec
 - b. Cho
 - c. Ste
 - d. ster
11. No
 - a. are
 - ☒ b. ma
 - c. ha
 - d. m
12. T
 - ☒ a. C
 - b. C
 - c. C
 - d. C
13.
 - ☒ a.
 - b.
 - c.
 - d.
14.
 - a.
 - ☒ b.
 - c.
 - d.
15.
 - ☒ a.
 - b.
 - c.
 - d.
16.
 - ☒ a.
 - b.
 - c.
 - d.
- 17.

(A)

nistry

9. Which of the following factor can affect enzymes activity
- Temperature
 - pH
 - Inhibitors
 - ☒ All of the above
10. Which is a phospholipid
- ☒ Lecithin
 - Cholesterol
 - Sterol
 - steroid
11. Non-essential amino acids
- are not components of tissue proteins
 - ☒ may be synthesized in the body from essential amino acids
 - have no role in metabolism
 - may be synthesized in the body in diseased states
12. The general formula of monosaccharide's is
- ☒ $C_nH_{2n}O_n$
 - $C_{2n}H_{2n}O_n$
 - $C_nH_{2n}O_{2n}$
 - $C_nH_{2n}O_{2n}$
13. The normal range of plasma calcium is
- ☒ 9-11 mg/dl
 - 3-5 mg/dl
 - 5-10 mg/dl
 - 11-15 mg/dl
14. Fatty acids which remain in liquid state at room temperature are called
- wax
 - ☒ oil
 - fats, glucose, starch
 - lipids
15. Vitamin D increases the absorption of
- ☒ calcium
 - iron
 - fatty acid
 - folic acid
16. Cholesterol is present in high levels in
- ☒ egg yolk
 - egg white
 - meat
 - fish
17. The most abundant bio molecule on the earth
- nuclei acid
 - protein
 - lipid
 - ☒ carbohydrates

18. Sulphur containing amino acid is

- ☒ a. Methionine
- b. Leucine
- c. Valine
- d. Asparagine

19. Enzymes are

- ☒ a. Protein
- b. Carbohydrates
- c. Nucleic acid
- d. DNA molecule

20. Which of the following is not a disaccharide

- ☒ a. amylase
- b. cellobiose
- c. lactose
- d. none of these

21. Pellagra is caused due to the deficiency of vitamin

- a. Vitamin
- b. folic acid
- c. pantothenic acid
- ☒ d. niacin

22. The phenomena of osmosis is opposite to that of

- ☒ a. diffusion
- b. effusion
- c. affusion
- d. coagulation

23. Carbohydrates are

- a. polyhydroxy aldehydes and phenols
- ☒ b. polyhydroxy aldehydes and ketones
- c. polyhydroxy ketones and phenols
- d. polyhydroxy phenols and alcohols

24. Major sugar which is present in DNA and RNA is

- ☒ a. ribose
- b. galactose
- c. mannose
- d. maltose

25. Maltose is a disaccharide made up of

- a. glucose and galactose
- ☒ b. glucose glucose
- c. glucose and lactose
- d. fructose and lactose

26. The power house of the cell

- a. Nucleus
- b. Cell membrane
- ☒ c. Mitochondria

- d. Lysosomes
27. Which one of the following is not included in major six classes of enzymes?
- a. hydrolases
 - b. transferases
 - c. Oxidoreductases
 - ☒ d. polymerases
28. The chief source of calcium is
- a. fish
 - ☒ b. dairy products
 - c. grains
 - d. meat
29. Basal metabolic rate (BMR) is affected by
- a. body temperature
 - b. body size
 - c. sex
 - ☒ d. all of above
30. Amino acid are bounded with each other by
- ☒ a. peptide bond
 - b. hydrogen bond
 - c. ionic bond
 - d. glycosidic bonds
31. Which of the following is a polysaccharide
- a. glucose
 - b. sucrose
 - ☒ c. glycogen
 - d. maltose
32. Hemoglobin has
- a. primary structure
 - b. secondary structure
 - c. tertiary structure
 - ☒ d. quaternary structure
33. The carbohydrate of blood group substance is
- a. xylose
 - b. lyxose
 - ☒ c. fucose
 - d. fructose
34. The most important buffer system in plasma is
- a. protein
 - b. phosphate
 - ☒ c. bicarbonate
 - d. hemoglobin
35. Essential fatty acid is
- a. palmitic acid
 - b. oleic acid
 - ☒ c. linolenic acid
 - d. palmitoleic

36. vitamin C deficiency causes
 a. scurvy
 b. antibody synthesis
 c. rickets
 d. pellagra
37. Which of the following is a non-reducing sugar
 a. isomaltose
 b. maltose
 c. lactose
 d. trehalose
38. Which one of the following amino acid is an essential amino acid
 a. aspartate
 b. tyrosine
 c. methionine
 d. serine
39. Carbohydrates linked to proteins are called
 a. glycoproteins
 b. glycolipids
 c. glycosides
 d. ganglioside
40. Enzymes increased in myocardial infarction is
 a. amylase
 b. lipase
 c. creatine kinase
 d. esterase
41. Following is made from cholesterol
 a. steroid hormones
 b. vitamin A
 c. DNA
 d. glycogen
42. Duodenum is the principal site for the absorption of
 a. iron
 b. folic acid
 c. water
 d. vitamin B12
43. The mineral present in larger amount in the human body is
 a. sodium
 b. calcium
 c. potassium
 d. iron
44. The repeating units of proteins are
 a. glucose unit
 b. amino acid
 c. fatty acid

- d. pep
 45. The
 a. amy
 b. sorb
 c. dex
 d. glu
 46. In l
 a. 37
 b. 40
 c. 25
 d. 30
 47. Vit
 a. vit
 b. vit
 c. vit
 d. vit
 48. Th
 a. Fl
 b. m
 c. la
 d. fr
 49. C
 a. g
 b. g
 c. la
 d. m
 50. A
 a. b
 b. s
 c. c
 d. a

- d. peptides
45. The monosaccharides linked together in cellulose are
- a. amylase
 - b. sorbitol
 - c. dextrin
 - ☒ d. glucose
46. In human body optimum temperature for enzymatic activities
- ☒ a. 37 °C
 - b. 40 °C
 - c. 25 °C
 - d. 30 °C
47. Vitamins produced in the skin on exposure to sunlight
- a. vitamin A
 - b. vitamin C
 - ☒ c. vitamin D
 - d. vitamin E
48. The carbohydrate found in honey is
- a. Fucose
 - b. maltose
 - c. lactose
 - ☒ d. fructose
49. Carbohydrate found only in milk is
- a. glucose
 - b. galactose
 - ☒ c. lactose
 - d. maltose
50. A deficiency of thiamine produces disease known as
- ☒ a. beriberi
 - b. scurvy
 - c. cataract.
 - d. anemia

1.	B	21.	D	41.	A
2.	D	22.	A	42.	A
3.	B	23.	B	43.	B
4.	D	24.	A	44.	B
5.	B	25.	B	45.	D
6.	C	26.	C	46.	A
7.	D	27.	D	47.	C
8.	B	28.	B	48.	D
9.	D	29.	D	49.	C
10.	A	30.	A	50.	A
11.	B	31.	C		
12.	A	32.	D		
13.	A	33.	C		
14.	B	34.	C		
15.	A	35.	C		
16.	A	36.	A		
17.	D	37.	D		
18.	A	38.	C		
19.	A	39.	A		
20.	A	40.	C		

Time: 1 Hour

Total Marks:50

Biochemistry

1. Vitamin D increases the absorption of:
☒ a. Calcium
b. Iron
c. Fatty acids
d. Folic acid
2. Iron is mainly absorbed from:
☒ a. Duodenum
b. Ilium
c. Caecum
d. Colon
3. Alkalosis can occur due to:
☒ a. Vomiting
b. Severe diarrhea
c. Diabetes mellitus
d. Strenuous exercise
4. Amino acid are joined by:
☒ a. Peptide bond
b. Hydrogen bond
c. Ionic bond
d. Glycosidic bond
5. Which of these is saturated acid?
☒ a. Palmitic acid
b. Linoleic acid
c. Arachidonic acid
d. Linoleic acid
6. Hyaluronic acid a carbohydrate is found in:
☒ a. Joints
b. Brain
c. Abdomen
d. Mouth
7. Deficiency of which one of these vitamins is a major cause of night blindness
a. Vitamin D
b. Vitamin C
☒ c. Vitamin A
d. Vitamin B
8. Factors affecting enzyme activity are:
a. pH
b. Temperature
c. Enzyme concentration
☒ d. All the above
9. Enzyme amylase breaks down:

- a. Nucleoproteins
 - b. Fats
 - c. Proteins
 - ☒ d. Carbohydrates
10. Maltose is a disaccharide made up of:
- a. Glucose and galactose
 - ☒ b. Glucose and glucose
 - c. Glucose and lactose
 - d. Fructose and lactose
11. Milk of deficient of which mineral:
- a. Phosphorus
 - b. Sodium
 - ☒ c. Iron
 - d. Potassium
12. A homopolysaccharide made up of fructose is
- ☒ a. Glycogen
 - b. Cellulose
 - c. insulin
 - d. dextrin
13. Basal metabolic rate is affected by:
- a. Body temperature
 - b. Body size
 - c. sex
 - ☒ d. All of above
14. A carbohydrate found only in milk is:
- a. Glucose
 - b. Galactose
 - ☒ c. Lactose
 - d. Maltose
15. The principal cation of intracellular fluid is:
- a. Sodium
 - ☒ b. Potassium
 - c. Chloride
 - d. Calcium
16. Hemoglobin has:
- a. Primary structure
 - b. Secondary structure
 - c. Tertiary structure
 - ☒ d. Quaternary structure
17. The storage form of iron is:
- a. Cerruloplasmin
 - b. Ferritin

- c.
 - ☒ d.
- 18: •
- a.
 - b.
 - c.
 - ☒ d.
- 19:
- a.
 - b.
 - c.
 - ☒ d.
- 20:
- ☒ a.
 - b.
 - c.
 - d.
- 21:
- a.
 - b.
 - ☒ c.
 - d.
- 22:
- a.
 - b.
 - ☒ c.
 - d.
- 23: Sto
- a.
 - ☒ b.
 - c.
 - d.
- 24: Th
- a.
 - b.
 - c.
 - ☒ d.
- 25: Mi
- ☒ a.
 - b.
 - c.
 - d.
- 26: Mi
- ☒ a.
 - b.
 - c.
 - d.
 - f.
 - g.

- c. Transferrin
☒ d. Hemosiderin
- 18: Which one of the following is not included in major six classes of enzymes
- a. Hydrolyses
 b. Transferases
 c. Oxidoreductases
☒ d. Polymerases
- 19: The carbohydrate of honey is:
- a. Fucose
 b. Maltose
 c. Lactose
☒ d. Fructose
- 20: Iodine is stored in:
- ☒ a. Thyroid gland
 b. Liver
 c. Intestine
 d. Skin
- 21: Denatured proteins are:
- a. Soluble
 b. Difficult to adjust
☒ c. Biologically inactive
 d. Difficult to precipitate
- 22: The carbohydrate of blood group substance is:
- a. Xylose
 b. Lyxose
☒ c. Fucose
 d. Fructose
- 23: Storage form of carbohydrate in animals is in the form of:
- a. Amylopectin
☒ b. Glycogen
 c. Cellulose
 d. Collagen
- 24: The most important buffer system in plasma is:
- a. Protein
 b. Phosphate
 c. Bicarbonate
☒ d. Hemoglobin
- 25: Milk protein is called:
- ☒ a. Casein
 b. Keratin
 c. Gelatin
 d. Gliadin
- 26: Milk is deficient in which vitamin:
- ☒ a. Vitamin c
 f. Vitamin a
 g. Vitamin b2

- h. Vitamin k
27. The proteins are made up of:
- a. Glucose units
 - ☒ b. Amino acids
 - c. Fatty acids
 - d. peptides
28. Beri beri is caused due to deficiency of:
- a. folic acid
 - b. ascorbic acid
 - ☒ c. thiamine
 - d. niacin
29. Pancreatic lipase is an enzyme which breaks down
- a. Carbohydrates
 - b. proteins
 - ☒ c. fats
 - d. nucleoprotein
30. Vitamins which is excreted in urine is:
- a. vitamin A
 - ☒ b. vitamin C
 - ☒ c. vitamin D
 - d. vitamin K
31. Normal blood PH is maintained by
- a. proteins
 - b. water
 - ☒ c. buffers
 - d. biomolecules
32. A homopolysaccharide among the following is
- a. hyaluronic acid
 - b. dermnatinsulphate
 - c. keratosulphate
 - ☒ d. cellulose
33. Normal range of blood PH is
- a. 6.0-7.4
 - b. 7.0-7.35
 - ☒ c. 7.35-7.45
 - d. 7.4-8.2
34. The largest protein among the following is
- a. fibrinogen
 - b. globulin
 - c. albumin
 - ☒ d. haemoglobin
35. Which one of these vitamins is involved in blood clotting

- a. vitamin D
 - b. vitamin B6
 - ☒ c. vitamin K
 - d. vitamin E
36. Antioxidant vitamin is
- a. vitamin B
 - b. vitamin A
 - ☒ c. vitamins C
 - d. vitamin K
37. Osmosis is the selective passage of
- a. solute molecule
 - b. colloidal particle
 - ☒ c. solvent molecule
 - d. solute & solvent
38. Deficiency of vitamin niacin causes a disease named
- ☒ a. beriberi
 - b. pernicious anemia
 - c. scurvy
 - d. pellagra
39. The carbohydrate found in DNA is
- a. xylose
 - b. ribose
 - ☒ c. deoxyribose
 - d. ribulose
40. Normal blood PH is maintained by
- a. Protein
 - b. water
 - ☒ c. buffers
 - d. biomolecules
41. All are aromatic amino acids except
- a. phenylalanine
 - b. tryptophan
 - ☒ c. cysteine
 - d. tyrosine
42. The major storage form of lipid is
- a. Cholesterol
 - b. glycerophospholipids
 - ☒ c. triglycerides
 - d. sphingolipids
43. Sucrose is made up of
- a. glucose & glucose

- ☒ b. glucose & fructose
- c. glucose & galactose
- d. fructose & galactose

44. The end product of break down of glycogen is:

- a. Amylase
- b. sorbitol
- c. dextrin
- ☒ d. glucose

45. All are aromatic amino acid except:

- a. phenylalanine
- b. tryptophan
- ☒ c. cystein
- d. tyrosine

46. Enzyme in saliva which break down starch is called:

- a. pepsinogen
- ☒ b. alpha amylase
- c. chymotrypsin
- d. erepsin

47. Neutral fats are

- ☒ a. triglycerides
- b. diglycerides
- c. phosphedidic acid
- d. monoglycerides

48. Amino acid which are not synthesized by human body are called "

- ☒ a. essential amino acid
- b. non-essential amino acid
- c. simple amino acid
- d. complex amino acid

49. Cholesterol comes from

- ☒ a. animal product
- b. vegetable products
- c. fruit products
- d. insect products

50. The average pH of urine is:

- a. 6.8
- ☒ b. 6.2
- ☒ c. 7.4
- d. 7.8

1.
2.
3.
4.
5.
6.
7.
8.
9.
10.
11.
12.
13.
14.
15.
16.
17.
18.
19.
20.

Answer Key

1.	A	21.	C	41.	C
2.	A	22.	C	42.	C
3.	A	23.	B	43.	B
4.	A	24.	D	44.	D
5.	A	25.	A	45.	C
6.	A	26.	A	46.	B
7.	C	27.	B	47.	A
8.	D	28.	C	48.	A
9.	D	29.	C	49.	A
10.	B	30.	B	50.	B
11.	C	31.	C		
12.	A	32.	D		
13.	D	33.	C		
14.	C	34.	D		
15.	B	35.	C		
16.	D	36.	C		
17.	D	37.	C		
18.	D	38.	A		
19.	D	39.	C		
20.	A	40.	C		

Time: 1 Hour

Total Marks: 50

Biochemistry

1. The chief source of calcium is:
 - a. fish
 - ☒ b. Dairy Products
 - c. grains
 - d. meat
2. Non-essential amino acids
 - a. are not components of tissue proteins
 - ☒ b. May be synthesized in the body from essential amino acids
 - c. Have no role in the metabolism
 - d. may be synthesized in the body in diseased states
3. In human body the optimum temperature for *enzymatic activities* is:
 - ☒ a. 37 °C
 - b. 40 °C
 - c. 25 °C
 - d. 30 °C
4. Vitamin produced in the skin on *exposure to sunlight*:
 - a. vitamin A
 - b. vitamin C
 - ☒ c. vitamin D
 - d. vitamin E
5. Which of the following factors can affect *enzyme activity*?
 - a. Temperature
 - b. pH
 - c. inhibitors
 - ☒ d. all of the above
6. Cholesterol is present in high levels in:
 - ☒ a. egg yolk
 - b. egg white
 - c. meat
 - d. fish
7. Among the following keto sugar is
 - a. glucose
 - b. galactose
 - ☒ c. fructose

- d. mannose
8. **Amino Acids are bonded with each other by:**
- ☒ a. peptide bonds
 - b. hydrogen bonds
 - c. ionic bonds
 - d. glycosidic bonds
9. **Carbohydrates linked to proteins are called:**
- ☒ a. Glycoproteins
 - b. glycolipids
 - c. galactosides
 - d. ganglioside
10. **Pellagra is caused due to the deficiency of:**
- a. vitamin C
 - b. folic acids
 - c. Pantothenic Acid
 - ☒ d. Niacin
11. **Enzymes are**
- ☒ a. proteins
 - b. carbohydrates
 - c. nucleic acids
 - d. DNA molecule
12. **The general formula of monosaccharides is:**
- ☒ a. $C_nH_{2n}O_n$
 - b. $C_{2n}H_{2n}O_n$
 - c. $C_nH_{2n}O_{2n}$
 - d. $C_nH_{2n}O_{2n}$
13. **Carbohydrates are**
- a. polyhydroxy aldehydes and phenols
 - ☒ b. polyhydroxy aldehydes and ketones
 - c. polyhydroxy ketones and phenols
 - d. polyhydroxy phenols and alcohols
14. **A carbohydrate found only in milk is:**
- a. glucose
 - b. galactose
 - ☒ c. lactose
 - d. maltose
15. **Basal Metabolic Rate (BMR) is affected by:**
- a. Body temperature
 - b. body size
 - c. sex
 - ☒ d. All of the above

16. The repeating units of proteins are
 - a. glucose units
 - ☒ b. amino acids
 - c. fatty acids
 - d. peptides
17. The phenomenon of osmosis is opposite to that of
 - ☒ a. diffusion
 - b. effusion
 - c. affusion
 - d. coagulation
18. A deficiency of Thiamine produces the disease known as
 - ☒ a. beriberi
 - b. scurvy
 - c. cataract
 - d. anemia
19. Which one of the following amino acid is an essential amino acid
 - a. aspartate
 - b. tyrosine
 - ☒ c. methionine
 - d. serine
20. Enzyme Amylase breaks down:
 - a. nucleoproteins
 - b. fats
 - c. proteins
 - ☒ d. carbohydrates
21. The monosaccharides linked together in cellulose are
 - a. amylose
 - b. sorbitol
 - c. dextrin
 - ☒ d. glucose
22. Vitamin which is excreted in urine is
 - a. vitamin A
 - ☒ b. vitamin C
 - c. vitamin D
 - d. vitamin K
23. The carbohydrate found in honey is:
 - a. fructose
 - b. maltose
 - c. lactose
 - ☒ d. fructose

24.
 - a.
 - b.
 - ☒ c.
 - d.
25.
 - a.
 - ☒ b.
 - c.
 - ☒ d.
26.
 - a.
 - b.
 - c.
 - ☒ d.
27.
 - ☒ a.
 - b.
 - c.
 - d.
28.
 - ☒ a.
 - b.
 - c.
 - d.
29.
 - a.
 - ☒ b.
 - c.
 - d.
30.
 - ☒ a.
 - b.
 - c.
 - d.
31.
 - a.
 - b.
 - c.
 - ☒ d.

24. The most important buffer system in plasma is:
- a. protein.
 - b. phosphate
 - ☒ c. bicarbonate
 - d. hemoglobin
25. Sucrose is made up of
- a. glucose and glucose
 - ☒ b. glucose and fructose
 - c. glucose and galactose
 - ☒ d. fructose and galactose
26. Following is an Aromatic Amine Acid
- a. Serine
 - b. Leucine
 - c. methionine
 - ☒ d. tyrosine
27. Major sugar which is present in DNA and RNA is
- ☒ a. ribose
 - b. galactose
 - c. mannose
 - d. maltose
28. Which of the following is not a disaccharide?
- ☒ a. amylose
 - b. cellobios
 - c. lactose
 - d. None of these
29. Triglycerides are
- a. soluble in water
 - ☒ b. insoluble in water
 - c. Soluble in boiling water
 - d. Less soluble in water
30. Which is a phospholipid?
- ☒ a. lecithin
 - b. cholesterol
 - c. sterol
 - d. Steroid
31. Haemoglobin has:
- a. primary structure
 - b. secondary structure
 - c. tertiary structure
 - ☒ d. quaternary structure

32. The mineral present in large amount in the human body is
a. sodium
☒ b. calcium
c. potassium
d. iron
33. Essential fatty acid is:
a. Palmitic acid
b. Oleic acid
☒ c. Linolenic acid
d. Palmitoleic acid
34. Following is made from Cholesterol:
☒ a. steroid hormones
b. vitamin A
c. DNA
d. glycogen
35. Which of the following is a polysaccharide
a. glucose
b. sucrose
☒ c. glycogen
d. maltose
36. The power house of the cell is:
a. Nucleus
b. Cell membrane
☒ c. Mitochondria
d. Lysosomes
37. Which one of the following is not included in major six classes of enzymes.
a. hydrolases
b. transferases
c. oxidoreductases
☒ d. polymerases
38. Enzyme increased in myocardial infarction is
a. amylase
b. lipase
☒ c. creatine kinase
d. esterase
39. Maltose is a disaccharide made up of:
a. Glucose and galactose
☒ b. Glucose and glucose
c. glucose and lactose
d. fructose and lactose
40. Vitamin D increases the absorption of
☒ a. calcium
b. iron
c. if C. fatty acid
d. folic acid

41. Normal pH of blood is:
a. 7
b. 7.2
c. 7.3
☒ d. 7.4
42. Storage form of carbohydrate in animals is
a. amylopectin
☒ b. glycogen
c. cellulose
d. collagen
43. Duodenum is the principal site for the absorption of:
☒ a. iron
b. Folic acid
c. water
d. Vitamin B12
44. Vitamin C deficiency causes:
☒ a. Scurvy
b. Antibody Synthesis
c. Rickets
d. Pellagra
45. Sulphur containing amino acid is:
☒ a. methionine
b. leucine
c. valine
d. Asparagine
46. The carbohydrate of Blood Group substance is:
a. Xylose
b. lyxose
☒ c. Fucose
d. fructose
47. The normal range of plasma calcium is:
☒ a. 9-11 mg/dl
b. 3-5 mg/dl
c. 5-10 mg/dl
d. 11-15 mg/dl
48. Fatty acids which remain in liquid state at room temperature are called
a. wax
☒ b. oil
c. fats, glucose, starch
d. lipids
49. The most abundant bio molecule on earth:
a. nucleic acids

- b. proteins
- c. lipids
- ☒ d. carbohydrate

50. Which of the following is a non-reducing sugar?

- a. iso maltose
- b. maltose
- c. lactose
- ☒ d. trehalose

— Answer Key

1.	B	21.	D	41.	D
2.	B	22.	B	42.	B
3.	A	23.	D	43.	A
4.	C	24.	C	44.	A
5.	D	25.	B	45.	A
6.	A	26.	D	46.	C
7.	C	27.	A	47.	A
8.	A	28.	A	48.	B
9.	A	29.	B	49.	D
10.	D	30.	A	50.	D
11.	A	31.	D		
12.	A	32.	B		
13.	B	33.	C		
14.	C	34.	A		
15.	D	35.	C		
16.	B	36.	C		
17.	A	37.	D		
18.	A	38.	C		
19.	C	39.	B		
20.	D	40.	A		

Faculty of Paramedical and Allied Health Sciences (FPMA)
Khyber Pukhtunkhwa
First Semester Exam January 2017

Time: 1 Hour

Total Marks: 50

Biochemistry

1. Which of the following is an amino acid that is found in proteins?
 - a. adenosine
 - b. adenine
 - ☒ c. alanine
 - d. linoleic acid
2. Milk is deficient of which mineral?
 - a. phosphorus
 - b. sodium
 - ☒ c. iron
 - d. potassium
3. Which of the following is not an amino acid?
 - a. glutamic acid
 - b. aspartic acid
 - c. glutamine
 - ☒ d. palmitic acid
4. Hydrolysis of peptides is caused by the enzyme
 - a. Esteras
 - ☒ b. trypsin
 - c. amylase
 - d. lipase
5. Saliva contains all of the following except
 - a. hormones
 - b. amylase
 - c. bacteria killing enzymes
 - ☒ d. antibodies
6. What does a buffer do?
 - ☒ a. keeps the pH of a solution constant
 - b. keeps the salt concentration of a solution constant
 - c. keeps the cation concentration constant
 - d. keeps the anion concentration constant
7. Maltose is disaccharide of.
 - a. glucose & galactose
 - ☒ b. glucose & glucose
 - c. glucose & lactose
 - d. fructose & lactose
8. Ascorbic acid acts as an.
 - a. reducing agent
 - b. oxidizing agent
 - ☒ c. reducing and oxidizing agent both
 - d. none of the above

9. Buffers are mixture of
- strong acid and strong base
 - strong acid & weak base
 - ☒ weak acid and their conjugate base
 - weak base and their conjugate acid
10. Sucrose consists of
- glucose + glucose
 - ☒ glucose + fructose
 - glucose + galactose
 - glucose + mannose
11. Cholesterol is the precursor of
- ☒ steroid hormones
 - vitamin A
 - bile salts
 - both A & C
12. The sugar which forms major component of nucleic acid is
- ☒ ribose
 - galactose
 - mannose
 - maltose
13. Non-essential amino acids
- are not components of tissue protein
 - ☒ may be synthesized in the body from essential amino acid
 - have no role in the metabolism
 - may be synthesized in the body in diseased state
14. Normal level of sodium in serum/plasma is.
- 95-105 mEq/L
 - ☒ 135-145 mEq/L
 - 3.5 — 5 mEq/L
 - 22-28 mEq/L
15. Vitamins often act as
- apoenzymes
 - holoenzymes
 - cofactors
 - ☒ coenzyme.
16. Sulphur containing amino acid is
- ☒ methionine
 - leucine
 - valine
 - asparagine
17. The amino acid from which synthesis of the protein of hair keratin takes place
- alanine
 - ☒ methionine
 - proline
 - hydroxyproline

18. Storage polysaccharides made by animals is.
- amylopectin
 - ☒ glycogen
 - cellulose
 - collagen
19. Which of the following factors can affect enzyme activity ?
- Temperature
 - pH
 - inhibitors
 - ☒ all of the above
20. Which of the following has the highest cholesterol content
- ☒ egg yolk
 - egg white
 - meat
 - fish
21. The phenomena of osmosis is opposite to that of
- ☒ diffusion
 - effusion
 - affusion
 - coagulation
22. Normal pH of blood is.
- 7
 - 7.2
 - 7.3
 - ☒ 7.4
23. Which of the following is a sugar alcohol?
- arabitol
 - manitol
 - sorbitol
 - ☒ all of these
24. Essential fatty acid is.
- palmitic acid
 - oleic acid
 - ☒ linolenic acid
 - palmitoleic acid
25. The most important buffer system in plasma is.
- protein
 - phosphate
 - ☒ bicarbonate
 - hemoglobin
26. Triacylglycerols are.
- soluble in water
 - ☒ insoluble in water
 - soluble in water at elevated temperatures

- d. partially soluble in water
27. The following is a ketogenic amino acid
- a. lysine
 - b. Tryptophan
 - c. valine
 - d. none of these
28. A carbohydrate found only in milk is.
- a. Glucose
 - b. Galactose
 - c. Lactose
 - d. maltose
29. Enzyme amylase breaks down.
- a. Nucleotides
 - b. Fats
 - c. Proteins
 - d. carbohydrates
30. Milk is deficient in which vitamins?
- a. vitamin C
 - b. vitamin A
 - c. vitamin B2
 - d. vitamin K
31. The mineral present in the human body in large amounts than any other cation is
- a. Sodium
 - b. calcium
 - c. potassium
 - d. iron
32. The vitamin C or ascorbic acid prevents.
- a. Scurvy
 - b. antibody synthesis
 - c. rickets
 - d. pellagra
33. The normal range of plasma calcium is.
- a. 9-11mg/dl
 - b. 3-5mg/dl
 - c. 5-10mg/dl
 - d. 11-15mg/dl
34. The carbohydrate of honey is.
- a. fucose
 - b. maltose
 - c. lactose
 - d. fructose
35. Proteins are soluble in.
- a. anhydrous acetone
 - b. aqueous alcohol
 - c. anhydrous alcohol
 - d. benzene

36. The power house of cell is.
a. golgi apparatus
b. lysosome
☒ c. mitochondria
d. ribosome
37. A pentose sugar is.
a. Dihydroxyacetone
☒ b. Ribulose
c. Erythrose
d. glucose
38. What type of covalent bond link the amino acids in a protein
☒ a. peptides bond
b. hydrogen bonds
c. ionic bonds
d. glycosidic bonds
39. Which of the following is a non-reducing sugar?
a. isomaltose
b. maltose
c. Lactose
☒ d. trehalose
40. Duodenum is the principal site for the absorption of.
☒ a. Iron
b. Folic acid
c. Water
d. Vitamin B12
41. The general formula of monosaccharide is.
☒ a. $C_nH_{2n}O_n$
b. $C_2H_2O_n$
c. $C_nH_2O_{2n}$
d. $C_nH_{2n}O_{2n}$
42. The power house of the cell is.
a. Nucleus
b. cell membrane
☒ c. mitochondria
d. lysosomes
43. Food energy is measured in.
☒ a. Kilocalories
b. Proteins
c. Grams
d. None of the above
44. Basal metabolic rate is affected by.
a. Body temperature
b. Body size
c. Sex
☒ d. All of the above
45. Maltose can be formed by the hydrolysis of.
a. Starch

- b. Dextrin
c. Glycogen
☒ d. all of these
46. The deficiency of thymine produces a disease known as.
☒ a. Beriberi
b. Scurvy
c. Cataract
d. anemia
47. Which of the following is not a disaccharide?
☒ a. Amylase
b. Cellobiose
c. Lactose
d. None of these
48. Two sugars which differ from one another only in configuration around a single carbon atom are termed.
☒ a. Epimers
b. Anomers
c. Optical isomers
d. stereoisomers
49. Enzyme increased in myocardial infarction is.
a. Amylase
b. Lipase
☒ c. Creatine kinase
d. Esterase
50. An essential amino acid in man is.
a. Aspartate
b. Tyrosine
☒ c. Methionine
d. Serine

a single

1.	C	21.	A	41.	A
2.	C	22.	D	42.	C
3.	D	23.	D	43.	A
4.	B	24.	C	44.	D
5.	D	25.	C	45.	D
6.	A	26.	B	46.	A
7.	B	27.	A	47.	A
8.	C	28.	C	48.	A
9.	C	29.	D	49.	C
10.	B	30.	A	50.	C
11.	A	31.	B		
12.	A	32.	A		
13.	B	33.	A		
14.	B	34.	D		
15.	D	35.	D		
16.	A	36.	C		
17.	B	37.	B		
18.	B	38.	A		
19.	D	39.	D		
20.	A	40.	A		